

# BOARDWALK

HARD INTERLOCKING PLANKS & TILES



DROP-CLICK INSTALLATION

# BOARDWALK

HARD INTERLOCKING PLANKS & TILES



## How To Engage

NOTE: Hard materials are best installed with a soft faced hammer.



Start by engaging the plank on the long side (angle-system)



Slide the plank until it reaches the short side of the next plank



Let the plank drop gently



Press with your thumb on both ends of the short side



Continue pressing until you hear the "Click" sound of the drop-click lock system



Planks are now fully inter-locked



Drop-Click Technology Instant Installation



No Glue, No Adhesive



Super Quick, Hassle Free



No Fumes, Non Toxic, Non Allergenic

# BOARDWALK

HARD INTERLOCKING PLANKS & TILES



EAST TO REMOVE



# BOARDWALK

HARD INTERLOCKING PLANKS & TILES



## How To Disengage

NOTE: Hard materials are best installed with a soft faced hammer.



Always start by disengaging on the long side



Grab the planks with both hands and gently lift at the same time until the planks disengage



Place the planks gently on the floor



To disengage on the short side, slide the planks the opposite direction



Press the planks gently while sliding



Continue sliding until the planks are fully separated



Drop-Click Technology Instant Installation



No Glue, No Adhesive



Super Quick, Hassle Free



No Fumes, Non Toxic, Non Allergenic